



16328-1302  
attachment

PATENT  
ATTORNEY DOCKET NO. 50025/003002

Certificate of Mailing: Date of Deposit: <u>November 19, 2001</u>	
I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being deposited with the United States Postal Service as <b>first class mail</b> with sufficient postage on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.	
<u>Susan M. Barry</u> Printed name of person mailing correspondence	<u>Susan M. Barry</u> Signature of person mailing correspondence

RECEIVED

FEB 04 2002

TECH CENTER 1600/2900

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Victor J. Dzau et al.	Art Unit:	1632
Serial No.:	09/839,752	Examiner:	Not Yet Assigned
Filed:	April 19, 2001	Customer No.:	21559
Title:	Therapeutic Use of Cis-Element Decoys <i>In Vivo</i>		

RECEIVED

AUG 13 2002

Assistant Commissioner For Patents  
Washington, DC 20231

TECH CENTER 1600/2900

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Applicants submit the references listed on the attached form PTO-1449, copies of which are enclosed. A copy of a communication from a foreign patent office in a counterpart application is also enclosed.

Submission of this statement is not a representation that a search has been made, nor is information included in this statement an admission that the information is material to patentability.

This statement is being filed before the receipt of a first Office action on the merits.

Applicant notes that an IDS and form PTO-1449 were filed July 16, 2001 and request that the initialed form PTO-1449 be returned.

If there are any charges or any credits, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,

Date: November 19, 2001

Susan M. Michaud  
Susan M. Michaud, Ph.D.  
Reg. No. 42,885

Clark & Elbing LLP  
176 Federal Street  
Boston, MA 02110  
Telephone: 617-428-0200  
Facsimile: 617-428-7045  
F:\S0025\S0025.003002 Supplemental IDS.wpd



21559  
PATENT TRADEMARK OFFICE

RECEIVED

FEB 04 2002

TECH CENTER 1600/2900

RECEIVED

AUG 13 2002

TECH CENTER 1600/2900